

CONTENTS - DIVISION I - DESIGN

Section 1 - General Provisions

1.1	DESIGN ANALYSIS AND GENERAL STRUCTURAL INTEGRITY FOR BRIDGES	April 2000	1-1
1.1.1	Design Analysis	April 2000	1-1
1.1.2	Structural Integrity	April 2000	1-1
1.2	BRIDGE LOCATION	April 2000	1-1
1.3	WATERWAYS.....	April 2000	1-1
1.3.1	General	April 2000	1-1
1.3.2	Hydraulic Studies.....	April 2000	1-2
1.3.2.1	Site Data	April 2000	1-2
1.3.2.2	Hydrologic Analysis	April 2000	1-2
1.3.2.3	Hydraulic Analysis	April 2000	1-2
1.4	CULVERT LOCATION, LENGTH, AND WATERWAY OPENINGS	April 2000	1-2
1.5	ROADWAY DRAINAGE	April 2000	1-2
1.6	RAILROAD OVERPASSES	April 2000	1-2
1.6.1	Clearances	April 2000	1-2
1.6.2	Blast Protection	April 2000	1-3
1.7	SUPERELEVATION	April 2000	1-3
1.8	FLOOR SURFACES	April 2000	1-3
1.9	UTILITIES	April 2000	1-3

Section 2 - General Features of Design

2.1	GENERAL	April 2000	2-1
2.1.1	Notations	April 2000	2-1
2.1.2	Width of Roadway and Sidewalk	April 2000	2-1
2.2	STANDARD HIGHWAY CLEARANCES - GENERAL	April 2000	2-1
2.2.1	Navigational	April 2000	2-1
2.2.2	Roadway Width	April 2000	2-1
2.2.3	Vertical Clearance	April 2000	2-1
2.2.4	Other	April 2000	2-1
2.2.5	Curbs and Sidewalks	April 2000	2-2
2.3	HIGHWAY CLEARANCES FOR BRIDGES	April 2000	2-2
2.3.1	Width	April 2000	2-2
2.3.2	Vertical Clearance	April 2000	2-2

2.4	HIGHWAY CLEARANCES FOR UNDERPASSES	April 2000	2-2
2.4.1	Width	April 2000	2-2
2.4.2	Vertical Clearances	April 2000	2-2
2.4.3	Curbs	April 2000	2-2
2.5	HIGHWAY CLEARANCES FOR TUNNELS	April 2000	2-2
2.5.1	Roadway Width	April 2000	2-2
2.7	RAILINGS	April 2000	2-2
2.7.1	Vehicular Railing	April 2000	2-3
2.7.1.1	General	April 2000	2-3
2.7.1.2	Geometry	April 2000	2-3
2.7.1.3	Loads	April 2000	2-3
2.7.2	Bicycle Railing	April 2000	2-4
2.7.2.1	General	April 2000	2-4
2.7.2.2	Geometry and Loads	April 2000	2-4
2.7.3	Pedestrian Railing	April 2000	2-6
2.7.3.1	General	April 2000	2-6
2.7.3.2	Geometry and Loads	April 2000	2-6
2.7.4	Structural Specifications and Guidelines	April 2000	2-7

Section 3 - Loads

Part A - Types of Loads

3.1	NOTATIONS	February 2004	3-1
3.2	GENERAL	February 2004	3-2
3.3	DEAD LOAD	February 2004	3-3
3.4	LIVE LOAD	February 2004	3-3
3.5	OVERLOAD PROVISIONS	February 2004	3-3
3.6	TRAFFIC LANES	February 2004	3-3
3.7	HIGHWAY LOADS	February 2004	3-4
3.7.1	Standard Truck and Lane Loads	February 2004	3-4
3.7.2	Classes of Loading	February 2004	3-4
3.7.3	Designation of Loadings	February 2004	3-4
3.7.4	Minimum Loading	February 2004	3-4
3.7.5	H Loading	February 2004	3-4
3.7.6	HS Loading	February 2004	3-4
3.7.7	P Loading	February 2004	3-6
3.8	IMPACT	February 2004	3-6
3.8.1	Application	February 2004	3-6
3.8.1.1	Group A-Impact Shall be Included	February 2004	3-6
3.8.1.2	Group B-Impact Shall Not be Included	February 2004	3-6
3.8.2	Impact Formula	February 2004	3-9
3.8.2.3	<i>For Culverts see "Section 6, Culverts"</i>	February 2004	3-9
3.9	LONGITUDINAL FORCES	February 2004	3-9
3.10	CENTRIFUGAL FORCES	February 2004	3-9

3.11	APPLICATION OF LIVE LOAD	February 2004	3-10
3.11.1	Traffic Lane Units	February 2004	3-10
3.11.2	Number and Position of Traffic Lane Units	February 2004	3-10
3.11.3	Lane Loads on Continuous Spans	February 2004	3-10
3.11.4	Loading for Maximum Stress	February 2004	3-10
3.11.4.3	Loading for Load Factor Design	February 2004	3-10
3.12	REDUCTION IN LOAD INTENSITY	February 2004	3-10
3.13	ELECTRIC RAILWAY LOADS	February 2004	3-10
3.14	SIDEWALK, CURB, AND RAILING LOADING	February 2004	3-10
3.14.1	Sidewalk Loading	February 2004	3-10
3.14.2	Curb Loading	February 2004	3-11
3.14.3	Railing Loading	February 2004	3-11
3.15	WIND LOADS	February 2004	3-11
3.15.1	Superstructure Design	February 2004	3-11
3.15.1.1	Group II and Group V Loadings	February 2004	3-11
3.15.1.2	Group III and Group VI Loadings	February 2004	3-12
3.15.2	Substructure Design	February 2004	3-12
3.15.2.1	Forces from Superstructure	February 2004	3-12
3.15.2.2	Forces Applied Directly to the Substructure	February 2004	3-12
3.15.3	Overturing Forces	February 2004	3-13
3.16	THERMAL FORCES	February 2004	3-13
3.17	UPLIFT	February 2004	3-13
3.18	FORCE FROM STREAM CURRENT, FLOATING ICE AND DRIFT	February 2004	3-13
3.18.1	Force of Stream Current on Piers	February 2004	3-13
3.18.1.1	Steam Pressure	February 2004	3-13
3.18.1.2	Pressure Components	February 2004	3-14
3.18.1.3	Drift Lodged Against Pier	February 2004	3-14
3.18.2	Force of Ice on Piers	February 2004	3-14
3.19	BUOYANCY	February 2004	3-14
3.20	EARTH PRESSURE	February 2004	3-14
3.21	EARTHQUAKES	February 2004	3-15

Part B - Combinations of Loads

3.22	COMBINATIONS OF LOADS	February 2004	3-15
------	-----------------------------	---------------------	------

Part C - Distribution of Loads

3.23	DISTRIBUTION OF LOADS TO STRINGERS, LONGITUDINAL BEAMS, AND FLOOR BEAMS	February 2004	3-18
3.23.1	Position of Loads for Shear	February 2004	3-18
3.23.2	Bending Moments in Stringers and Longitudinal Beams ..	February 2004	3-18
3.23.2.1	General	February 2004	3-18
3.23.2.2	Interior Stringers and Beams	February 2004	3-18

3.23.2.3	Outside Roadway Stringers and Beams	February 2004	3-19
3.23.3	Bending Moments in Floor Beams (Transverse)	February 2004	3-19
3.23.4	Precast Concrete Beams Used in Multi-Beam Decks	February 2004	3-20
3.24	DISTRIBUTION OF LOADS AND DESIGN OF CONCRETE SLABS	February 2004	3-22
3.24.1	Span Lengths	February 2004	3-22
3.24.2	Edge Distance of Wheel Loads	February 2004	3-22
3.24.3	Bending Moment	February 2004	3-22
3.24.3.1	Case A-Main Reinforcement Perpendicular to Traffic (Spans 2 to 24 Feet Inclusive)	February 2004	3-23
3.24.3.2	Case B-Main Reinforcement Parallel to Traffic	February 2004	3-23
3.24.4	Shear	February 2004	3-23
3.24.5	Cantilever Slabs	February 2004	3-23
3.24.5.1	Truck Loads	February 2004	3-23
3.24.5.2	Railing Loads	February 2004	3-23
3.24.6	Slabs Supported on Four Sides	February 2004	3-23
3.24.7	Median Slabs	February 2004	3-24
3.24.8	Longitudinal Edge Beams	February 2004	3-24
3.24.9	Unsupported Transverse Edges	February 2004	3-24
3.24.10	Distribution Reinforcement	February 2004	3-24
3.25	DISTRIBUTION OF WHEEL LOADS ON TIMBER FLOORING	February 2004	3-24
3.25.1	Transverse Flooring	February 2004	3-25
3.25.2	Plank and Nail Laminated Longitudinal Flooring	February 2004	3-26
3.25.3	Longitudinal Glued Laminate Timber Deck	February 2004	3-27
3.25.3.1	Bending Moment	February 2004	3-27
3.25.3.2	Shear	February 2004	3-27
3.25.3.3	Deflections	February 2004	3-27
3.25.3.4	Stiffener Arrangement	February 2004	3-27
3.25.4	Continuous Flooring	February 2004	3-27
3.26	DISTRIBUTION OF WHEEL LOADS AND DESIGN OF COMPOSITE WOOD-CONCRETE MEMBERS	February 2004	3-27
3.26.1	Distribution of Concentrated Loads for Bending Moment and Shear	February 2004	3-27
3.26.2	Distribution of Bending Moments in Continuous Spans	February 2004	3-28
3.26.3	Design	February 2004	3-28
3.27	DISTRIBUTION OF WHEEL LOADS ON STEEL GRID FLOORS	February 2004	3-28
3.27.1	General	February 2004	3-28
3.27.2	Floors Filled with Concrete	February 2004	3-28
3.27.3	Open Floors	February 2004	3-28
3.28	DISTRIBUTION OF LOADS FOR BENDING MOMENT IN SPREAD BOX GIRDERS	February 2004	3-29
3.28.1	Interior Beams	February 2004	3-29
3.28.2	Exterior Beams	February 2004	3-29
3.29	MOMENTS, SHEARS, AND REACTIONS	February 2004	3-29
3.30	TIRE CONTACT AREA	February 2004	3-29

Section 3 Commentary - Loads

3.10.4	Centrifugal Forces	February 2004	3-30
--------	--------------------------	---------------------	------

Section 4 - Foundations

Part A - General Requirements and Materials

4.1	GENERAL	November 2003	4-1
4.2	FOUNDATION TYPE AND CAPACITY	November 2003	4-1
4.2.1	Selection of Foundation Type	November 2003	4-1
4.2.2	Foundation Capacity	November 2003	4-1
4.2.2.1	Bearing Capacity	November 2003	4-1
4.2.2.2	Settlement	November 2003	4-1
4.2.2.3	Overall Stability	November 2003	4-1
4.2.3	Soil, Rock, and Other Problem Conditions	November 2003	4-1
4.3	SUBSURFACE EXPLORATION AND TESTING PROGRAMS	November 2003	4-1
4.3.1	General Requirements	November 2003	4-2
4.3.2	Minimum Depth	November 2003	4-3
4.3.3	Minimum Coverage	November 2003	4-3
4.3.4	Laboratory Testing	November 2003	4-3
4.3.5	Scour	November 2003	4-3

Part B - Service Load Design Method Allowable Stress Design

4.4	SPREAD FOOTING	November 2003	4-4
4.4.1	General	November 2003	4-4
4.4.1.1	Applicability	November 2003	4-4
4.4.1.2	Footings Supporting Non-Rectangular Columns or Piers	November 2003	4-4
4.4.1.3	Footings in Fill	November 2003	4-4
4.4.1.4	Footings in Sloped Portions of Embankments	November 2003	4-4
4.4.1.5	Distribution of Bearing Pressure	November 2003	4-4
4.4.2	Notations	November 2003	4-4
4.4.3	Design Terminology	November 2003	4-6
4.4.4	Soil and Rock Property Selection	November 2003	4-6
4.4.5	Depth	November 2003	4-7
4.4.5.1	Minimum Embedment and Bench Width	November 2003	4-7
4.4.5.2	Scour Protection	November 2003	4-7
4.4.5.3	Footing Excavations	November 2003	4-8
4.4.5.4	Piping	November 2003	4-8
4.4.6	Anchorage	November 2003	4-8
4.4.7	Geotechnical Design on Soil	November 2003	4-8
4.4.7.1	Bearing Capacity	November 2003	4-8
4.4.7.2	Settlement	November 2003	4-17
4.4.7.3	<i>Deleted</i>	November 2003	4-21
4.4.8	Geotechnical Design on Rock	November 2003	4-21
4.4.8.1	Bearing Capacity	November 2003	4-22

4.4.8.2	Settlement	November 2003	4-23
4.4.9	Overall Stability	November 2003	4-26
4.4.10	<i>Deleted</i>	November 2003	4-27
4.4.11	Structural Design	November 2003	4-27
4.4.11.1	Loads and Reactions	November 2003	4-27
4.4.11.2	Moments	November 2003	4-27
4.4.11.3	Shear	November 2003	4-27
4.4.11.4	Development of Reinforcement	November 2003	4-28
4.4.11.5	Transfer of Force at Base of Column	November 2003	4-28
4.4.11.6	Unreinforced Concrete Footings	November 2003	4-29
4.5	DRIVEN PILES	November 2003	4-29
4.5.1	General	November 2003	4-29
4.5.1.1	Application	November 2003	4-29
4.5.1.2	Materials	November 2003	4-29
4.5.1.3	<i>Deleted</i>	November 2003	4-29
4.5.1.4	Lateral Tip Restraint	November 2003	4-29
4.5.1.5	Estimated Lengths	November 2003	4-29
4.5.1.6	Estimated and Minimum Tip Elevation	November 2003	4-29
4.5.1.7	<i>Deleted</i>	November 2003	4-29
4.5.1.8	Test Piles	November 2003	4-29
4.5.2	Pile Types	November 2003	4-29
4.5.2.1	Friction Piles	November 2003	4-30
4.5.2.2	End Bearing Piles	November 2003	4-30
4.5.2.3	Combination Friction and End Bearing Piles	November 2003	4-30
4.5.2.4	Batter Piles	November 2003	4-30
4.5.3	Notations	November 2003	4-30
4.5.4	Design Terminology	November 2003	4-30
4.5.5	Selection of Soil and Rock Properties	November 2003	4-30
4.5.6	Selection of Design Pile Capacity	November 2003	4-30
4.5.6.1	Ultimate Geotechnical Capacity	November 2003	4-30
4.5.6.2	Factor of Safety Selection	November 2003	4-32
4.5.6.3	<i>Deleted</i>	November 2003	4-32
4.5.6.4	Group Pile Loading	November 2003	4-32
4.5.6.5	Lateral Loads on Piles	November 2003	4-32
4.5.6.6	Uplift Loads on Pile	November 2003	4-33
4.5.6.7	Vertical Ground Movement	November 2003	4-33
4.5.6.8	<i>Deleted</i>	November 2003	4-33
4.5.7	Structural Capacity of Pile Section	November 2003	4-34
4.5.7.1	Load Capacity Requirements	November 2003	4-33
4.5.7.2	Piles Extending Above Ground Surface	November 2003	4-34
4.5.7.3	Allowable Stresses in Piles	November 2003	4-34
4.5.7.4	<i>Deleted</i>	November 2003	4-35
4.5.7.5	Scour	November 2003	4-35
4.5.8	Protection Against Corrosion and Abrasion	November 2003	4-35
4.5.9	Wave Equation Analysis	November 2003	4-35
4.5.10	Dynamic Monitoring	November 2003	4-35
4.5.11	Maximum Allowable Driving Stresses	November 2003	4-35
4.5.12	Tolerable Movement	November 2003	4-35
4.5.13	Buoyancy	November 2003	4-35
4.5.14	Protection Against Deterioration	November 2003	4-35

4.5.14.1	Steel Piles	November 2003	4-35
4.5.14.2	Concrete Piles	November 2003	4-36
4.5.14.3	Timber Piles	November 2003	4-36
4.5.15	Spacing, Clearances, and Embedment	November 2003	4-36
4.5.15.1	Footings	November 2003	4-36
4.5.15.2	Bent Caps	November 2003	4-36
4.5.16	Precast Concrete Piles	November 2003	4-36
4.5.16.1	Size and Shape	November 2003	4-36
4.5.16.2	Minimum Area	November 2003	4-36
4.5.16.3	Minimum Diameter of Tapered Piles	November 2003	4-36
4.5.16.4	Driving Points	November 2003	4-36
4.5.16.5	Vertical Reinforcement	November 2003	4-36
4.5.16.6	Spiral Reinforcement	November 2003	4-37
4.5.16.7	Reinforcement Cover	November 2003	4-37
4.5.16.8	Splices	November 2003	4-37
4.5.16.9	Handling Stresses	November 2003	4-37
4.5.17	Cast-In-Place Concrete Piles	November 2003	4-37
4.5.17.1	Materials	November 2003	4-37
4.5.17.2	Shape	November 2003	4-37
4.5.17.3	Minimum Area	November 2003	4-37
4.5.17.4	General Reinforcement Requirements	November 2003	4-37
4.5.17.5	Reinforcement into Superstructure	November 2003	4-37
4.5.17.6	Shell Requirements	November 2003	4-37
4.5.17.7	Splices	November 2003	4-37
4.5.17.8	Reinforcement Cover	November 2003	4-38
4.5.17.9	Spacing Limitations	November 2003	4-38
4.5.18	Steel H-Piles	November 2003	4-38
4.5.18.1	Metal Thickness	November 2003	4-38
4.5.18.2	Splices	November 2003	4-38
4.5.18.3	Caps	November 2003	4-38
4.5.18.4	Lugs, Scabs, and Core-Stoppers	November 2003	4-38
4.5.18.5	Point Attachments	November 2003	4-38
4.5.19	Unfilled Tubular Steel Piles	November 2003	4-38
4.5.19.1	Metal Thickness	November 2003	4-38
4.5.19.2	Splices	November 2003	4-38
4.5.19.3	Driving	November 2003	4-38
4.5.19.4	Column Action	November 2003	4-38
4.5.20	Prestressed Concrete Piles	November 2003	4-38
4.5.20.1	Size and Shape	November 2003	4-38
4.5.20.2	Main Reinforcement	November 2003	4-39
4.5.20.3	Vertical Reinforcement	November 2003	4-39
4.5.20.4	Hollow Cylinder Piles	November 2003	4-39
4.5.20.5	Splices	November 2003	4-39
4.5.21	Timber Piles	November 2003	4-39
4.5.21.1	Materials	November 2003	4-39
4.5.21.2	Limitations on Untreated Timber Pile Use	November 2003	4-39
4.5.21.3	Limitations on Treated Timber Pile Use	November 2003	4-39
4.6	DRILLED SHAFTS	November 2003	4-39
4.6.1	General	November 2003	4-39
4.6.1.1	Application	November 2003	4-39

4.6.1.2	Materials	November 2003	4-40
4.6.1.3	Construction	November 2003	4-40
4.6.1.4	Embedment	November 2003	4-40
4.6.1.5	Shaft Diameter	November 2003	4-40
4.6.1.6	Batter Shafts	November 2003	4-40
4.6.1.7	Shafts Through Embankment Fill	November 2003	4-40
4.6.2	Notations	November 2003	4-40
4.6.3	Design Terminology	November 2003	4-41
4.6.4	Selection of Soil and Rock Properties	November 2003	4-41
4.6.4.1	Presumptive Values	November 2003	4-41
4.6.4.2	Measured Values	November 2003	4-42
4.6.5	Geotechnical Design	November 2003	4-42
4.6.5.1	Axial Capacity in Soil	November 2003	4-42
4.6.5.2	Factors Affecting Axial Capacity in Soil	November 2003	4-45
4.6.5.3	Axial Capacity in Rock	November 2003	4-47
4.6.5.4	Factors of Safety	November 2003	4-48
4.6.5.5	Deformation of Axially Loaded Shafts	November 2003	4-48
4.6.5.6	Lateral Loading	November 2003	4-50
4.6.5.7	<i>Deleted</i>	November 2003	4-52
4.6.6	Structural Design and General Shaft Dimensions	November 2003	4-52
4.6.6.1	General	November 2003	4-52
4.6.6.2	Reinforcement	November 2003	4-52
4.6.6.3	Enlarged Bases	November 2003	4-53
4.6.6.4	Center-to-Center Shaft Spacing	November 2003	4-53
4.6.7	Load Testing	November 2003	4-53
4.6.7.1	General	November 2003	4-53
4.6.7.2	Load Testing Procedures	November 2003	4-53
4.6.7.3	Load Test Method Selection	November 2003	4-54

Part C - Strength Design Method Load Factor Design

4.8	SCOPE	November 2003	4-54
4.9	DEFINITIONS	November 2003	4-54
4.10	LIMIT STATES, LOAD FACTORS, AND RESISTANCE FACTORS	November 2003	4-55
4.10.1	General	November 2003	4-55
4.10.2	Serviceability Limit States	November 2003	4-55
4.10.3	Strength Limit States	November 2003	4-55
4.10.4	Strength Requirement	November 2003	4-55
4.10.5	Load Combinations and Load Factors	November 2003	4-55
4.10.6	Performance Factors	November 2003	4-56
4.11	SPREAD FOOTINGS	November 2003	4-56
4.11.1	General Considerations	November 2003	4-56
4.11.1.1	General	November 2003	4-56
4.11.1.2	Depth	November 2003	4-56
4.11.1.3	Scour Protection	November 2003	4-56
4.11.1.4	Frost Action	November 2003	4-56
4.11.1.5	Anchorage	November 2003	4-56
4.11.1.6	Groundwater	November 2003	4-56

4.11.1.7	Uplift	November 2003	4-57
4.11.1.8	Deterioration	November 2003	4-57
4.11.1.9	Nearby Structures	November 2003	4-57
4.11.2	Notations	November 2003	4-57
4.11.3	Movement Under Serviceability Limit States	November 2003	4-57
4.11.3.1	General	November 2003	4-57
4.11.3.2	Loads	November 2003	4-57
4.11.3.3	Movement Criteria	November 2003	4-58
4.11.3.4	Settlement Analyses	November 2003	4-58
4.11.4	Safety Against Soil Failure	November 2003	4-58
4.11.4.1	Bearing Capacity of Foundation Soils	November 2003	4-58
4.11.4.2	Bearing Capacity of Foundations on Rock	November 2003	4-59
4.11.4.3	Failure by Sliding	November 2003	4-61
4.11.4.4	Loss of Overall Stability	November 2003	4-61
4.11.5	Structural Capacity	November 2003	4-61
4.11.6	Construction Considerations for Shallow Foundations	November 2003	4-61
4.11.6.1	General	November 2003	4-61
4.11.6.2	Excavation Monitoring	November 2003	4-61
4.11.6.3	Compaction Monitoring	November 2003	4-61
4.12	DRIVEN PILES	November 2003	4-61
4.12.1	General	November 2003	4-61
4.12.2	Notations	November 2003	4-61
4.12.3	Selection of Design Pile Capacity	November 2003	4-63
4.12.3.1	Factors Affecting Axial Capacity	November 2003	4-63
4.12.3.2	Movement Under Serviceability Limit State	November 2003	4-64
4.12.3.3	Resistance at Strength Limit States	November 2003	4-64
4.12.4	Structural Design	November 2003	4-67
4.12.4.1	Buckling of Piles	November 2003	4-67
4.12.5	Deleted	November 2003	4-67
4.13	DRILLED SHAFTS	November 2003	4-67
4.13.1	General	November 2003	4-67
4.13.2	Notations	November 2003	4-67
4.13.3	Geotechnical Design	November 2003	4-68
4.13.3.1	Factors Affecting Axial Capacity	November 2003	4-68
4.13.3.2	Movement Under Serviceability Limit State	November 2003	4-69
4.13.3.3	Resistance at Strength Limit States	November 2003	4-69
4.13.4	Structural Design	November 2003	4-70
4.13.4.1	Buckling of Drilled Shafts	November 2003	4-70

Section 5 - Retaining Walls

Part A - General Requirements and Materials

5.1	GENERAL	August 2003	5-1
5.2	WALL TYPES	August 2003	5-1
5.2.1	Selection of Wall Type	August 2003	5-1
5.2.1.1	Rigid Gravity and Semi-Gravity Walls	August 2003	5-1
5.2.1.2	Non-Gravity Cantilevered Walls	August 2003	5-2
5.2.1.3	Anchored Walls	August 2003	5-3

5.2.1.4	Mechanically Stabilized Earth Walls	August 2003	5-4
5.2.1.5	Prefabricated Modular Walls	August 2003	5-5
5.2.2	Wall Capacity	August 2003	5-6
5.2.2.1	Bearing Capacity	August 2003	5-6
5.2.2.2	Settlement	August 2003	5-6
5.2.2.3	Overall Stability	August 2003	5-6
5.2.2.4	Tolerable Deformations	August 2003	5-6
5.2.3	Soil, Rock, and Other Problem Conditions	August 2003	5-7
5.3	SUBSURFACE EXPLORATION AND TESTING		
	PROGRAMS	August 2003	5-7
5.3.1	General Requirements	August 2003	5-7
5.3.2	Minimum Depth	August 2003	5-8
5.3.3	Minimum Coverage	August 2003	5-8
5.3.4	Laboratory Testing	August 2003	5-8
5.3.5	Scour	August 2003	5-8
5.4	NOTATIONS	August 2003	5-8

Part B - Service Load Design Method Allowable Stress Design

5.5	EARTH PRESSURE	August 2003	5-15
5.5.1	General	August 2003	5-15
5.5.2	Compaction	August 2003	5-16
5.5.3	Presence of Water	August 2003	5-16
5.5.4	Effect of Earthquake	August 2003	5-17
5.5.5	Earth Pressure	August 2003	5-17
5.5.5.1	Basic Lateral Earth Pressure	August 2003	5-17
5.5.5.2	At-Rest Lateral Earth Pressure Coefficient, k_o	August 2003	5-18
5.5.5.3	Active Lateral Earth Pressure Coefficient, k_a	August 2003	5-18
5.5.5.4	Passive Lateral Earth Pressure Coefficient, k_p	August 2003	5-23
5.5.5.5	Trial Wedge Method of Analysis for the Determination of the Resultant Lateral Earth Pressure	August 2003	5-25
5.5.5.6	Lateral Earth Pressures for Non-Gravity Cantilevered Walls	August 2003	5-28
5.5.5.7	Lateral Earth Pressures for Anchored Walls	August 2003	5-33
5.5.5.8	Lateral Earth Pressures for Mechanically Stabilized Earth Walls	August 2003	5-36
5.5.5.9	Lateral Earth Pressures for Prefabricated Modular Walls ..	August 2003	5-39
5.5.5.10	Surcharge Loads	August 2003	5-39
5.5.5.11	Lateral Earth Pressures for Restrained Abutments	August 2003	5-44
5.5.5.12	Reduction Due to Earth Pressure	August 2003	5-45
5.6	RIGID GRAVITY AND SEMI-GRAVITY WALL		
	DESIGN	August 2003	5-46
5.6.1	Design Terminology	August 2003	5-46
5.6.2	Footing Embedment	August 2003	5-46
5.6.3	Earth Pressure, Water Pressure and Surcharge Loadings ..	August 2003	5-47
5.6.4	Structure Dimensions and External Stability	August 2003	5-47
5.6.4.1	Sliding Stability	August 2003	5-47
5.6.4.2	Overturning	August 2003	5-49
5.6.4.3	Wall Foundations	August 2003	5-51

5.6.5	Structure Design	August 2003	5-51
5.6.5.1	Wall Footings	August 2003	5-51
5.6.5.2	Rooting Keys	August 2003	5-52
5.6.5.3	Wall Stems	August 2003	5-52
5.6.5.4	Counterforts and Buttresses	August 2003	5-52
5.6.5.5	Reinforcement	August 2003	5-52
5.6.5.6	Expansion and Contraction Joints	August 2003	5-52
5.6.5.7	Backfill	August 2003	5-52
5.6.5.8	Overall Stability	August 2003	5-52
5.7	NONGRAVITY CANTILEVERED WALL DESIGN	August 2003	5-52
5.7.1	Design Terminology	August 2003	5-52
5.7.2	Loading	August 2003	5-54
5.7.3	Wall Movement	August 2003	5-54
5.7.4	Water Pressure and Drainage	August 2003	5-54
5.7.5	Passive Resistance	August 2003	5-54
5.7.6	Structure Dimensions and External Stability	August 2003	5-54
5.7.7	Structure Design	August 2003	5-55
5.7.8	Traffic Barrier	August 2003	5-55
5.7.9	Overall Stability	August 2003	5-55
5.7.10	Corrosion Protection	August 2003	5-56
5.8	ANCHORED WALL DESIGN	August 2003	5-56
5.8.1	Design Terminology	August 2003	5-56
5.8.2	Loading	August 2003	5-60
5.8.2.1	Walls with Structural Anchors	August 2003	5-60
5.8.2.2	Walls with Ground Anchors	August 2003	5-60
5.8.3	Wall Movement	August 2003	5-60
5.8.4	Water Pressure and Drainage	August 2003	5-60
5.8.5	Passive Resistance	August 2003	5-60
5.8.6.1	General	August 2003	5-60
5.8.6.2	Walls with Structural Anchors	August 2003	5-61
5.8.6.3	Wall with Ground Anchors	August 2003	5-69
5.8.7	Structure Design	August 2003	5-76
5.8.8	Traffic Barrier	August 2003	5-76
5.8.9	Overall Stability	August 2003	5-76
5.8.10	Corrosion Protection	August 2003	5-76
5.8.10.1	Tie Rods	August 2003	5-76
5.8.10.2	Ground Anchors	August 2003	5-76
5.8.10.3	Wall Members	August 2003	5-76
5.8.11	Load Testing and Lock Off	August 2003	5-76
5.8.11.1	Structural Anchors	August 2003	5-76
5.8.11.2	Ground Anchors	August 2003	5-76
5.9	MECHANICALLY STABILIZED EARTH WALL	August 2003	5-77
5.9.1	Structure Dimensions	August 2003	5-78
5.9.2	External Stability	August 2003	5-78
5.9.2.1	Sliding Stability	August 2003	5-79
5.9.2.2	Overturning Stability	August 2003	5-79
5.9.2.3	Bearing Capacity	August 2003	5-79
5.9.2.4	Overall Stability	August 2003	5-79
5.9.3	Internal Stability	August 2003	5-80

5.9.3.1	Determination of Maximum Soil Reinforcement Loads . August 2003	5-81
5.9.3.2	Determination of Maximum Soil Reinforcement Load at the Wall Face August 2003	5-82
5.9.3.3	Determination of Soil Reinforcement Length for Internal Stability August 2003	5-82
5.9.3.4	Reinforcement Strength Design August 2003	5-86
5.9.3.5	Soil Reinforcement/Facing Connection Strength Design August 2003	5-91
5.9.3.6	Design of Facing Elements August 2003	5-92
5.9.3.7	Drainage August 2003	5-94
5.9.3.8	Special Loading Conditions August 2003	5-94
5.9.3.9	Placement of Soil Reinforcement August 2003	5-95
5.10	PREFABRICATED MODULAR WALL DESIGN August 2003	5-95
5.10.1	Structure Dimensions August 2003	5-95
5.10.2	External Stability August 2003	5-95
5.10.2.1	Sliding Stability August 2003	5-97
5.10.2.2	Overturning Stability August 2003	5-97
5.10.2.3	Tiered Walls August 2003	5-98
5.10.2.4	Bearing Capacity August 2003	5-98
5.10.2.5	Overall Stability August 2003	5-98
5.10.2.6	Prefabricated Modular Walls with "T" Shaped Modules August 2003	5-98
5.10.3	Internal Security August 2003	5-98
5.10.4	Module Design August 2003	5-99
5.10.4.1	Crib Member Design August 2003	5-99

Section 6 - Culverts

6.1	CULVERT LOCATION, LENGTH, AND WATERWAY OPENINGS	April 2000	6-1
6.2	DEAD LOADS	April 2000	6-1
6.2.1	Culvert in Trench, or Culvert Untrenched on Yielding Foundation	April 2000	6-1
6.2.2	Culvert Untrenched on Unyielding Foundation	April 2000	6-1
6.3	LIVE LOADS	April 2000	6-1
6.4	FOOTINGS	April 2000	6-1
6.5	DISTRIBUTION OF WHEEL LOADS THROUGH EARTH FILLS	April 2000	6-1
6.6	DESIGN	April 2000	6-2

Section 7 - Substructures

Part A - General Requirements and Materials

7.1	GENERAL	April 2000	7-1
7.1.1	Definition	April 2000	7-1
7.1.2	Loads	April 2000	7-1

7.1.3	Settlement	April 2000	7-1
7.1.4	Foundation and Retaining Wall Design	April 2000	7-1
7.2	NOTATIONS	April 2000	7-1

Part B - Service Load Design Method Allowable Stress Design

7.3	PIERS	April 2000	7-1
7.3.1	Pier Types	April 2000	7-1
7.3.1.1	Pier Walls	April 2000	7-1
7.3.1.2	Double Wall Piers	April 2000	7-1
7.3.1.3	Bents	April 2000	7-1
7.3.1.4	<i>Deleted</i>	April 2000	7-2
7.3.2	Pier Protection	April 2000	7-2
7.3.2.1	Collision	April 2000	7-2
7.3.2.2	Collision Walls	April 2000	7-2
7.3.2.3	Scour	April 2000	7-2
7.3.2.4	Facing	April 2000	7-2
7.4	TUBULAR PIERS	April 2000	7-2
7.4.1	Materials	April 2000	7-2
7.4.2	Configuration	April 2000	7-2
7.5	ABUTMENTS	April 2000	7-2
7.5.1	Abutment Types	April 2000	7-2
7.5.1.1	Seat Type Abutment	April 2000	7-2
7.5.1.2	Partial-Depth Abutment	April 2000	7-2
7.5.1.3	Full-Depth Abutment	April 2000	7-2
7.5.1.4	Diaphragm Abutment	April 2000	7-2
7.5.2	Loading	April 2000	7-2
7.5.2.1	Stability	April 2000	7-3
7.5.2.2	Reinforcement for Temperature	April 2000	7-3
7.5.2.3	Drainage and Backfilling	April 2000	7-3
7.5.3	Diaphragm Abutments	April 2000	7-3
7.5.4	<i>Deleted</i>	April 2000	7-3
7.5.5	<i>Deleted</i>	April 2000	7-3
7.5.6	Wingwalls	April 2000	7-3
7.5.6.1	Length	April 2000	7-3
7.5.6.2	Reinforcement	April 2000	7-3

Part C - Strength Design Method Load Factor Design

7.6	<i>Deleted</i>	April 2000	7-3
-----	----------------------	------------------	-----

Section 8 - Reinforced Concrete

Part A - General Requirements and Materials

8.1	APPLICATION	September 2003	8-1
8.1.1	General	September 2003	8-1
8.1.2	Notations	September 2003	8-1
8.1.3	Definitions	September 2003	8-4



8.2	CONCRETE	September 2003	8-5
8.3	REINFORCEMENT	September 2003	8-5

Part B - Analysis

8.4	GENERAL	September 2003	8-6
8.5	EXPANSION AND CONTRACTION	September 2003	8-6
8.6	STIFFNESS	September 2003	8-6
8.7	MODULUS OF ELASTICITY AND POISSON'S RATIO	September 2003	8-6
8.8	SPAN LENGTH	September 2003	8-6
8.9	CONTROL OF DEFLECTIONS	September 2003	8-7
8.9.1	General	September 2003	8-7
8.9.2	Superstructure Depth Limitations	September 2003	8-7
8.9.3	Superstructure Deflection Limitations	September 2003	8-7
8.10	COMPRESSION FLANGE WIDTH	September 2003	8-7
8.10.1	T-Girder	September 2003	8-7
8.10.2	Box Girders	September 2003	8-7
8.11	SLABS AND WEB THICKNESS	September 2003	8-8
8.12	DIAPHRAGMS	September 2003	8-8
8.13	COMPUTATION OF DEFLECTIONS	September 2003	8-8

Part C - Design

8.14	GENERAL	September 2003	8-9
8.14.1	Design Methods	September 2003	8-9
8.14.2	Composite Flexural Members	September 2003	8-9
8.14.3	Concrete Arches	September 2003	8-9
8.15	SERVICE LOAD DESIGN METHOD (ALLOWABLE STRESS DESIGN)	September 2003	8-10
8.15.1	General Requirements	September 2003	8-10
8.15.2	Allowable Stresses	September 2003	8-10
8.15.2.1	Concrete	September 2003	8-10
8.15.2.2	Reinforcement	September 2003	8-11
8.15.3	Flexure	September 2003	8-11
8.15.4	Compression Members	September 2003	8-11
8.15.5	Shear	September 2003	8-11
8.15.5.1	Shear Stress	September 2003	8-11
8.15.5.2	Shear Stress Carried by Concrete	September 2003	8-12
8.15.5.3	Shear Stress Carried by Shear Reinforcement	September 2003	8-12
8.15.5.4	Shear Friction	September 2003	8-13
8.15.5.5	Horizontal Shear Design for Composite Concrete Flexural Members	September 2003	8-14
8.15.5.6	Special Provisions for Slabs and Footings	September 2003	8-15
8.15.5.7	<i>Deleted</i>	September 2003	8-15
8.15.5.8	Special Provisions for Brackets and Corbels	September 2003	8-15

8.16	STRENGTH DESIGN METHOD (LOAD FACTOR DESIGN)	September 2003	8-16
8.16.1	Strength Requirements	September 2003	8-16
8.16.1.1	Required Strength	September 2003	8-16
8.16.1.2	Design Strength	September 2003	8-16
8.16.2	Design Assumptions	September 2003	8-17
8.16.3	Flexure	September 2003	8-17
8.16.3.1	Maximum Reinforcement of Flexural Members	September 2003	8-17
8.16.3.2	Rectangular Sections with Tension Reinforcement Only	September 2003	8-17
8.16.3.3	Flanged Sections with Tension Reinforcement Only	September 2003	8-18
8.16.3.4	Rectangular Sections with Compression Reinforcement	September 2003	8-18
8.16.3.5	Flanged Sections with Compression Reinforcement	September 2003	8-19
8.16.3.6	Other Cross Sections	September 2003	8-19
8.16.4	Compression Members	September 2003	8-19
8.16.4.1	General Requirements	September 2003	8-19
8.16.4.2	Compression Member Strengths	September 2003	8-20
8.16.4.3	Biaxial Loading	September 2003	8-20
8.16.4.4	Hollow Rectangular Compression Members	September 2003	8-20
8.16.4.5	Probable Plastic Moment	September 2003	8-21
8.16.4.6	Special Provisions for Column and Pier Wall Hinges....	September 2003	8-21
8.16.5	Slenderness Effects in Compression Members	September 2003	8-22
8.16.5.1	General Requirements	September 2003	8-22
8.16.5.2	Approximate Evaluation of Slenderness Effects	September 2003	8-22
8.16.6	Shear	September 2003	8-24
8.16.6.1	Shear Strength	September 2003	8-24
8.16.6.2	Shear Strength Provided by Concrete	September 2003	8-24
8.16.6.3	Shear Strength Provided by Shear Reinforcement	September 2003	8-25
8.16.6.4	Shear Friction	September 2003	8-25
8.16.6.5	Horizontal Shear Strength for Composite Concrete Flexural Members	September 2003	8-26
8.16.6.6	Special Provisions for Slabs and Footings	September 2003	8-27
8.16.6.7	Special Provisions for Box Culverts	September 2003	8-28
8.16.6.8	Special Provisions for Brackets and Corbels	September 2003	8-28
8.16.6.9	Special Provision for Pier Walls	September 2003	8-29
8.16.6.10	Compression Member Connection to Caps	September 2003	8-29
8.16.6.11	Special Seismic Provisions for Columns, Pier Walls and Piles	September 2003	8-29
8.16.7	Bearing Strength	September 2003	8-30
8.16.8	Serviceability Requirements	September 2003	8-30
8.16.8.1	Application	September 2003	8-30
8.16.8.2	Service Load Stresses	September 2003	8-30
8.16.8.3	Fatigue Stress Limits	September 2003	8-30
8.16.8.4	Distribution of Flexural Reinforcement	September 2003	8-31

Part D - Reinforcement

8.17	REINFORCEMENT OF FLEXURAL MEMBERS	September 2003	8-31
8.17.1	Minimum Reinforcement	September 2003	8-31

8.17.2	Distribution of Reinforcement	September 2003	8-31
8.17.2.1	Flexural Tension Reinforcement in Zones of Maximum Tension	September 2003	8-31
8.17.2.2	Transverse Deck Slab Reinforcement in T-Girders and Box Girders	September 2003	8-32
8.17.2.3	Bottom Slab Reinforcement for Box Girders	September 2003	8-32
8.17.3	Lateral Reinforcement of Flexural Members	September 2003	8-32
8.17.4	Reinforcement for Hollow Rectangular Compression Members	September 2003	8-33
8.18	REINFORCEMENT OF COMPRESSION MEMBERS	September 2003	8-33
8.18.1	Maximum and Minimum Longitudinal Reinforcement	September 2003	8-33
8.18.2	Lateral Reinforcement	September 2003	8-34
8.18.2.1	General	September 2003	8-34
8.18.2.2	Spiral or Hoops	September 2003	8-34
8.18.2.3	Ties	September 2003	8-35
8.18.2.4	<i>Deleted</i>	September 2003	8-36
8.19	LIMITS FOR SHEAR REINFORCEMENT	September 2003	8-36
8.19.1	Minimum Shear Reinforcement	September 2003	8-36
8.19.2	Types of Shear Reinforcement	September 2003	8-36
8.19.3	Spacing of Shear Reinforcement	September 2003	8-36
8.20	SHRINKAGE AND TEMPERATURE REINFORCEMENT	September 2003	8-36
8.21	SPACING LIMITS FOR REINFORCEMENT	September 2003	8-36
8.22	PROTECTION AGAINST CORROSION	September 2003	8-37
8.23	HOOKS AND BENDS	September 2003	8-40
8.23.1	Standard Hooks	September 2003	8-40
8.23.2	Minimum Bend Diameters	September 2003	8-40
8.24	DEVELOPMENT OF FLEXURAL REINFORCEMENT	September 2003	8-40
8.24.1	General	September 2003	8-40
8.24.2	Positive Moment Reinforcement	September 2003	8-41
8.24.3	Negative Moment Reinforcement	September 2003	8-41
8.25	DEVELOPMENT OF DEFORMED BARS AND DEFORMED WIRE IN TENSION	September 2003	8-41
8.26	DEVELOPMENT OF DEFORMED BARS IN COMPRESSION	September 2003	8-42
8.27	DEVELOPMENT OF SHEAR REINFORCEMENT	September 2003	8-43
8.28	DEVELOPMENT OF BUNDLED BARS	September 2003	8-43
8.29	DEVELOPMENT OF STANDARD HOOKS IN TENSION	September 2003	8-43
8.29.3.1	Bar Yield Strength	September 2003	8-44
8.29.3.2	Concrete Cover	September 2003	8-44
8.29.3.3	Ties or Stirrups	September 2003	8-44
8.29.3.4	Excess Reinforcement	September 2003	8-44
8.30	DEVELOPMENT OF WELDED WIRE FABRIC IN TENSION	September 2003	8-45
8.30.1	Deformed Wire Fabric	September 2003	8-45

8.30.2	Smooth Wire Fabric	September 2003	8-45
8.31	MECHANICAL ANCHORAGE	September 2003	8-45
8.32	SPLICES OF REINFORCEMENT	September 2003	8-46
8.32.1	Lap Splices	September 2003	8-46
8.32.2	Welded Splices and Mechanical Connections	September 2003	8-46
8.32.2.2	<i>Deleted</i>	September 2003	8-46
8.32.2.3	<i>Deleted</i>	September 2003	8-46
8.32.2.4	<i>Deleted</i>	September 2003	8-46
8.32.3	Splices of Deformed Bars and Deformed Wire in Tension	September 2003	8-46
8.32.3.3	<i>Deleted</i>	September 2003	8-46
8.32.3.4	<i>Deleted</i>	September 2003	8-46
8.32.4	Splices of Bars in Compression	September 2003	8-46
8.32.4.1	Lap Splices in Compression	September 2003	8-46
8.32.4.2	<i>Deleted</i>	September 2003	8-47
8.32.4.3	<i>Deleted</i>	September 2003	8-47
8.32.5	Splices of Welded Deformed Wire Fabric in Tension	September 2003	8-47
8.32.6	Splices of Welded Smooth Wire Fabric in Tension	September 2003	8-47
8.32.6.1	<i>Deleted</i>	September 2003	8-47
8.32.6.2	<i>Deleted</i>	September 2003	8-47

Section 8 Commentary - Reinforced Concrete

8.15.5.6	Special Provisions for Slabs and Footings	September 2003	8-48
8.16.1.2	Design Strength	September 2003	8-49
8.16.3.5	Flanged Sections with Compression Reinforcement	September 2003	8-49
8.16.4.5	Probable Plastic Moment	September 2003	8-49
8.16.4.5	Special Provisions for Column and Pier Wall Hinges....	September 2003	8-52
8.16.6.6	Special Provisions for Slabs and Footings	September 2003	8-52
8.16.6.7	Special Provisions for Box Culverts	September 2003	8-52
8.16.8.4	Distribution of Flexural Reinforcement	September 2003	8-52
8.16.6.9	Special Provision for Pier Walls	September 2003	8-52
8.16.6.10	Compression Member Connection to Caps	September 2003	8-53
8.16.6.11	Special Seismic Provision for Columns, Pier Walls and Piles	September 2003	8-53
8.16.8.4	Distribution of Flexural Reinforcement	September 2003	8-53
8.18.1.4	Interlocking Spirals	September 2003	8-54
8.18.2.2	Spiral Reinforcement.....	September 2003	8-54
8.18.2.3	Ties	September 2003	8-56
8.21	SPACING LIMITS FOR REINFORCEMENT	September 2003	8-57
8.22	PROTECTION AGAINST CORRISION	September 2003	8-57

Section 9 - Prestressed Concrete

Part A - General Requirements and Materials

9.1	APPLICATION	April 2000	9-1
9.1.1	General	April 2000	9-1

9.1.2	Notations	April 2000	9-1
9.1.3	Definitions	April 2000	9-3
9.2	CONCRETE	April 2000	9-4
9.3	REINFORCEMENT	April 2000	9-4
9.3.1	Prestressing Steel	April 2000	9-4
9.3.2	Non-Prestressed Reinforcement	April 2000	9-4

Part B - Analysis

9.4	GENERAL	April 2000	9-5
9.5	EXPANSION AND CONTRACTION	April 2000	9-5
9.6	SPAN LENGTH	April 2000	9-5
9.7	FRAMES AND CONTINUOUS CONSTRUCTION	April 2000	9-5
9.7.1	Cast-in-Place Post-Tensioned Bridges	April 2000	9-5
9.7.2	Bridges Composed of Simple-Span Precast Prestressed Girders Made Continuous	April 2000	9-5
9.7.2.1	General	April 2000	9-5
9.7.2.2	Positive Moment Connection at Piers	April 2000	9-5
9.7.2.3	Negative Moments	April 2000	9-5
9.7.3	Segmental Box Girders	April 2000	9-5
9.7.3.1	General	April 2000	9-5
9.7.3.2	Flexure	April 2000	9-6
9.7.3.3	Torsion	April 2000	9-6
9.8	EFFECTIVE FLANGE WIDTH	April 2000	9-6
9.8.1	T-Beams	April 2000	9-6
9.8.2	Box Girders	April 2000	9-6
9.8.3	Precast/Prestressed Concrete Beams with Wide Top Flanges	April 2000	9-6
9.9	FLANGE AND WEB THICKNESS - BOX GIRDERS	April 2000	9-6
9.9.1	Top Flange	April 2000	9-6
9.9.2	Bottom Flange	April 2000	9-7
9.9.3	Web	April 2000	9-7
9.10	DIAPHRAGMS	April 2000	9-7
9.10.1	General	April 2000	9-7
9.10.2	T-Beams, Precast I and Bulb-tee Girders	April 2000	9-7
9.10.3	Box Girders	April 2000	9-7
9.11	DEFLECTIONS	April 2000	9-7
9.11.1	General	April 2000	9-7
9.11.2	Segmental Box Girders	April 2000	9-7
9.11.3	Superstructure Deflection Limitations	April 2000	9-7
9.12	DECK PANELS	April 2000	9-7
9.12.1	General	April 2000	9-7
9.12.2	Bending Moment	April 2000	9-8

Part C - Design

9.13	GENERAL	April 2000	9-9
9.13.1	Design Theory and General Considerations	April 2000	9-9
9.13.2	Basic Assumptions	April 2000	9-9
9.13.3	Composite Flexural Members	April 2000	9-9
9.14	LOAD FACTORS	April 2000	9-9
9.15	ALLOWABLE STRESSES	April 2000	9-9
9.15.1	Prestressing Steel.....	April 2000	9-10
9.15.2	Concrete	April 2000	9-10
9.15.2.1	Temporary Stresses Before Losses Due to Creep and Shrinkage	April 2000	9-10
9.15.2.2	Stress at Service Load After Losses Have Occurred	April 2000	9-10
9.15.2.3	Cracking Stress (Refer to Article 9.18)	April 2000	9-10
9.15.2.4	Anchorage Bearing Stress	April 2000	9-11
9.16	LOSS OF PRESTRESS	April 2000	9-11
9.16.1	Friction Losses	April 2000	9-11
9.16.2	Prestress Losses	April 2000	9-11
9.16.2.1	General	April 2000	9-11
9.16.2.2	Estimated Losses	April 2000	9-14
9.17	FLEXURAL STRENGTH	April 2000	9-14
9.17.1	General	April 2000	9-14
9.17.2	Rectangular Sections	April 2000	9-14
9.17.3	Flanged Sections	April 2000	9-15
9.17.4	Steel Stress	April 2000	9-15
9.18	DUCTILITY LIMITS	April 2000	9-16
9.18.1	Maximum Prestressing Steel	April 2000	9-16
9.18.2	Minimum Steel	April 2000	9-16
9.19	NON-PRESTRESSED REINFORCEMENT	April 2000	9-16
9.20	SHEAR	April 2000	9-17
9.20.1	General	April 2000	9-17
9.20.2	Shear Strength Provided by Concrete	April 2000	9-17
9.20.3	Shear Strength Provided by Web Reinforcement	April 2000	9-18
9.20.4	Horizontal Shear Design - Composite Flexural Members	April 2000	9-18
9.21	POST-TENSIONED ANCHORAGE ZONES	April 2000	9-19
9.21.1	Geometry of the Anchorage Zone	April 2000	9-19
9.21.2	General Zone and Local Zone	April 2000	9-19
9.21.2.1	General Zone	April 2000	9-19
9.21.2.2	Local Zone	April 2000	9-19
9.21.2.3	Responsibilities	April 2000	9-19
9.21.3	General Zone and Local Zone	April 2000	9-20
9.21.3.1	Design Methods	April 2000	9-20
9.21.3.2	Nominal Material Strengths	April 2000	9-20
9.21.3.3	Use of Special Anchorage Devices	April 2000	9-20
9.21.3.4	General Design Principles and Detailing Requirements	April 2000	9-20
9.21.3.5	Intermediate Anchorages	April 2000	9-21

9.21.3.6	Diaphragms	April 2000	9-22
9.21.3.7	Multiple Slab Anchorages	April 2000	9-22
9.21.4	Application to Strut-and-Tie Models to the Design of Anchorage Zones	April 2000	9-23
9.21.4.1	General	April 2000	9-23
9.21.4.2	Nodes	April 2000	9-23
9.21.4.3	Struts	April 2000	9-23
9.21.4.4	Ties	April 2000	9-24
9.21.5	Elastic Stress Analysis	April 2000	9-24
9.21.6	Approximate Methods	April 2000	9-24
9.21.6.1	Limitations	April 2000	9-24
9.21.6.2	Compressive Stresses	April 2000	9-24
9.21.6.3	Bursting Forces	April 2000	9-25
9.21.6.4	Edge-Tension Forces	April 2000	9-25
9.21.7	Design of the Local Zone	April 2000	9-25
9.21.7.1	Dimensions of the Local Zone	April 2000	9-25
9.21.7.2	Bearing Strength	April 2000	9-26
9.21.7.3	<i>Deleted</i>	April 2000	9-27
9.22	PRETENSIONED ANCHORAGE ZONES	April 2000	9-27
9.23	CONCRETE STRENGTH AT STRESS TRANSFER	April 2000	9-27
9.24	DECK PANELS	April 2000	9-27

Part D - Detailing

9.25	FLANGE REINFORCEMENT	April 2000	9-28
9.26	COVER AND SPACING OF STEEL	April 2000	9-28
9.26.1	Minimum Cover	April 2000	9-28
9.26.2	Minimum Spacing	April 2000	9-28
9.26.3	Bundling	April 2000	9-28
9.26.4	Size of Ducts	April 2000	9-28
9.27	POST-TENSIONING ANCHORAGES AND COUPLERS	April 2000	9-28
9.28	EMBEDMENT OF PRESTRESSED STRAND	April 2000	9-29
9.29	BEARINGS	April 2000	9-29

Section 10 - Structural Steel

Part A - General Requirements and Materials

10.1	APPLICATION	February 2004	10-1
10.1.1	General	February 2004	10-1
10.1.2	Notations	February 2004	10-1
10.1.3	Definition	February 2004	10-8
10.2	MATERIALS	February 2004	10-10
10.2.1	General	February 2004	10-10
10.2.2	Structural Steels	February 2004	10-10
10.2.3	Steels for Pins, Rollers, and Expansion Rockers	February 2004	10-10
10.2.4	Fasteners	February 2004	10-10



10.2.5	Weld Metal.....	February 2004	10-10
10.2.6	Cast Steel, Ductile Iron Castings, Malleable Castings and Cast Iron	February 2004	10-13
10.2.6.1	Cast Steel and Ductile Iron	February 2004	10-13
10.2.6.2	Malleable Castings	February 2004	10-13
10.2.6.3	Cast Iron	February 2004	10-13

Part B - Design Details

10.3	REPETITIVE LOADING AND TOUGHNESS CONSIDERATIONS	February 2004	10-14
10.3.1	Allowable Fatigue Stress Range	February 2004	10-14
10.3.2	Load Cycles	February 2004	10-20
10.3.3	Charpy V-Notch Impact Requirements	February 2004	10-20
10.3.4	Shear	February 2004	10-20
10.3.5	Loading	February 2004	10-20
10.4	EFFECTIVE LENGTH OF SPAN	February 2004	10-20
10.5	DEPTH RATIOS	February 2004	10-20
10.6	DEFLECTION	February 2004	10-21
10.7	LIMITING LENGTHS OF MEMBERS	February 2004	10-21
10.8	MINIMUM THICKNESS OF METAL	February 2004	10-22
10.9	EFFECTIVE NET AREA FOR TENSION MEMBERS	February 2004	10-22
10.10	OUTSTANDING LEGS OF ANGLES	February 2004	10-23
10.11	EXPANSION AND CONTRACTION	February 2004	10-23
10.12	MEMBERS	February 2004	10-23
10.12.1	Flexural Members	February 2004	10-23
10.12.2	Compression Members	February 2004	10-23
10.12.3	Tension Members	February 2004	10-23
10.13	COVER PLATES	February 2004	10-23
10.14	CAMBER	February 2004	10-24
10.15	HEAT-CURVED ROLLED BEAMS AND WELDED PLATE GIRDERS	February 2004	10-24
10.15.1	Scope	February 2004	10-24
10.15.2	Minimum Radius of Curvature	February 2004	10-24
10.15.3	Camber	February 2004	10-25
10.16	TRUSSES	February 2004	10-25
10.16.1	General	February 2004	10-25
10.16.2	Truss Members	February 2004	10-25
10.16.3	Secondary Stresses	February 2004	10-26
10.16.4	Diaphragms	February 2004	10-26
10.16.5	Camber	February 2004	10-26
10.16.6	Working Lines and Gravity Axes	February 2004	10-26
10.16.7	Portal and Sway Bracing	February 2004	10-26
10.16.8	Perforated Cover Plates	February 2004	10-27

10.16.9	Stay Plates	February 2004	10-27
10.16.10	Lacing Bars	February 2004	10-27
10.16.11	Gusset Plates	February 2004	10-28
10.16.12	Half-Through Truss Spans	February 2004	10-28
10.16.13	Fastener Pitch in Ends of Compression Members	February 2004	10-28
10.16.14	Net Section of Riveted or High-Strength Bolted Tension Members	February 2004	10-28
10.17	BENTS AND TOWERS	February 2004	10-29
10.17.1	General	February 2004	10-29
10.17.2	Single Bents	February 2004	10-29
10.17.3	Batter	February 2004	10-29
10.17.4	Bracing	February 2004	10-29
10.17.5	Bottom Struts	February 2004	10-29
10.18	SPLICES	February 2004	10-29
10.18.1	General	February 2004	10-29
10.18.1.1	Design Strength	February 2004	10-29
10.18.1.2	Fillers	February 2004	10-30
10.18.1.3	Design Force for Flange Splice Plates	February 2004	10-30
10.18.1.4	Truss Chords and Column	February 2004	10-30
10.18.2	Flexural Members	February 2004	10-30
10.18.2.1	General	February 2004	10-30
10.18.2.2	Flange Splices	February 2004	10-31
10.18.2.3	Web Splices	February 2004	10-32
10.18.3	Compression Members	February 2004	10-34
10.18.4	Tension Members	February 2004	10-34
10.18.5	Welding Splices	February 2004	10-35
10.19	CONNECTIONS	February 2004	10-35
10.19.1	General	February 2004	10-35
10.19.2	End Connections of Floor Beams and Stringers	February 2004	10-35
10.19.3	End Connections of Diaphragms and Cross Frames	February 2004	10-35
10.19.4	Block Shear Rupture Strength	February 2004	10-36
10.19.4.1	General	February 2004	10-36
10.19.4.2	Allowable Block Shear Rupture Stress	February 2004	10-36
10.19.4.3	Design Block Shear Rupture Strength	February 2004	10-36
10.20	DIAPHRAGMS AND CROSS FRAMES	February 2004	10-36
10.20.1	General	February 2004	10-36
10.20.2	Horizontal Force	February 2004	10-37
10.21	LATERAL BRACING	February 2004	10-37
10.22	CLOSED SECTIONS AND POCKETS	February 2004	10-37
10.23	WELDING	February 2004	10-38
10.23.1	General	February 2004	10-38
10.23.2	Effective Size of Fillet Welds	February 2004	10-38
10.23.2.1	Maximum Size of Fillet Welds	February 2004	10-38
10.23.2.2	Minimum Size of Fillet Welds	February 2004	10-38
10.23.3	Minimum Effective Length of Fillet Welds	February 2004	10-38
10.23.4	Fillet Weld End Returns	February 2004	10-38
10.23.5	Seal Welds	February 2004	10-38

10.24	FASTENERS	February 2004	10-39
10.24.1	General	February 2004	10-39
10.24.2	Hole Types	February 2004	10-40
10.24.3	Washer Requirements	February 2004	10-40
10.24.4	Size of Fasteners (Rivets or High-Strength Bolts)	February 2004	10-41
10.24.5	Spacing of Fasteners	February 2004	10-41
10.24.5.1	Pitch and Gage of Fasteners	February 2004	10-41
10.24.5.2	Minimum Spacing of Fasteners	February 2004	10-41
10.24.5.3	Minimum Clear Distance Between Holes	February 2004	10-41
10.24.5.4	Maximum Spacing of Fasteners	February 2004	10-41
10.24.6	Maximum Spacing of Sealing and Stitch Fasteners	February 2004	10-42
10.24.6.1	Sealing Fasteners	February 2004	10-42
10.24.6.2	Stitch Fasteners	February 2004	10-42
10.24.7	Edge Distance of Fasteners	February 2004	10-42
10.24.7.1	General	February 2004	10-42
10.24.8	Long Rivets	February 2004	10-42
10.25	LINKS AND HANGERS	February 2004	10-42
10.25.1	Net Section	February 2004	10-42
10.25.2	Location of Pins	February 2004	10-43
10.25.3	Size of Pins	February 2004	10-43
10.25.4	Pin Plates	February 2004	10-43
10.25.5	Pins and Pin Nuts	February 2004	10-43
10.26	UPSET ENDS	February 2004	10-43
10.27	EYEBARS	February 2004	10-43
10.27.1	Thickness and Net Section	February 2004	10-43
10.27.2	Packing of Eyebars	February 2004	10-43
10.28	FORKED ENDS	February 2004	10-43
10.29	FIXED AND EXPANSION BEARINGS	February 2004	10-44
10.29.1	General	February 2004	10-44
10.29.2	<i>Deleted</i>	February 2004	10-44
10.29.3	<i>Deleted</i>	February 2004	10-44
10.29.4	Sole Plate and Masonry Plates	February 2004	10-44
10.29.5	Masonry Bearings	February 2004	10-44
10.29.6	Anchor Rods	February 2004	10-44
10.29.7	Pedestals and Shoes	February 2004	10-44
10.30	FLOOR SYSTEM	February 2004	10-45
10.30.1	Stringers	February 2004	10-45
10.30.2	Floor Beams	February 2004	10-45
10.30.3	Cross Frames	February 2004	10-45
10.30.4	Expansion Joints	February 2004	10-45
10.30.5	End Floor Beams	February 2004	10-45
10.30.6	End Panel of Skewed Bridges	February 2004	10-45
10.30.7	Sidewalk Brackets	February 2004	10-45
10.30.8	Stay-in-Place Deck Forms	February 2004	10-45
10.30.8.1	Concrete Deck Panels	February 2004	10-45
10.30.8.2	Metal Stay-in-Place Forms	February 2004	10-45

Part C - Service Load Design Method - Allowable Stress Design

10.31	SCOPE	February 2004	10-46
10.32	ALLOWABLE STRESSES	February 2004	10-46
10.32.1	Steel	February 2004	10-46
10.32.2	Weld Metal.....	February 2004	10-46
10.32.3	Fasteners	February 2004	10-46
10.32.3.1	General	February 2004	10-46
10.32.3.3	Applied Tension, Combined Tension and Shear	February 2004	10-52
10.32.3.4	Fatigue	February 2004	10-53
10.32.4	Pins, Rollers, and Expansion Rockers	February 2004	10-53
10.32.5	Cast Steel, Ductile Iron Castings, Malleable Castings, and Cast Iron	February 2004	10-54
10.32.5.1	Cast Steel and Ductile Iron	February 2004	10-54
10.32.5.2	Malleable Castings	February 2004	10-54
10.32.5.3	Cast Iron	February 2004	10-54
10.32.5.4	<i>Deleted</i>	February 2004	10-54
10.32.5.6	Bearing on Masonry	February 2004	10-55
10.33	ROLLED BEAMS	February 2004	10-55
10.33.1	General	February 2004	10-55
10.33.2	Bearing Stiffeners	February 2004	10-55
10.34	PLATE GIRDERS	February 2004	10-55
10.34.1	General	February 2004	10-55
10.34.2	Flanges	February 2004	10-56
10.34.2.1	Welded Girders	February 2004	10-56
10.34.2.2	Riveted or Bolted Girders	February 2004	10-58
10.34.3	Web Plates	February 2004	10-58
10.34.3.1	Girders Not Stiffened Longitudinally	February 2004	10-58
10.34.3.2	Girders Stiffened Longitudinally	February 2004	10-58
10.34.4	Transverse Intermediate Stiffeners	February 2004	10-60
10.34.5	Longitudinal Stiffeners	February 2004	10-62
10.34.6	Bearing Stiffeners	February 2004	10-63
10.34.6.1	Welded Girders	February 2004	10-63
10.34.6.2	Riveted or Bolted Girders	February 2004	10-64
10.35	TRUSSES	February 2004	10-64
10.35.1	Perforated Cover Plates and Lacing Bars	February 2004	10-64
10.35.2	Compression Members	February 2004	10-64
10.36	COMBINED STRESSES	February 2004	10-66
10.37	SOLID RIB ARCHES	February 2004	10-67
10.37.1	Moment Amplification and Allowable Stress	February 2004	10-67
10.37.2	Web Plates	February 2004	10-68
10.37.3	Flange Plates	February 2004	10-68
10.38	COMPOSITE BEAMS AND GIRDERS	February 2004	10-70
10.38.1	General	February 2004	10-70
10.38.2	Shear Connectors	February 2004	10-70
10.38.3	Effective Flange Width	February 2004	10-71
10.38.4	Stresses	February 2004	10-71

10.38.5	Shear	February 2004	10-71
10.38.5.1	Horizontal Shear	February 2004	10-71
10.38.5.2	Vertical Shear	February 2004	10-74
10.38.6	Deflection	February 2004	10-74
10.39	COMPOSITE BOX GIRDERS	February 2004	10-74
10.39.1	General	February 2004	10-74
10.39.2	Lateral Distribution of Loads for Bending Moment	February 2004	10-74
10.39.3	Web Plates	February 2004	10-75
10.39.3.1	Vertical Shear	February 2004	10-75
10.39.3.2	Secondary Bending Stresses	February 2004	10-75
10.39.4	Bottom Flange Plates	February 2004	10-75
10.39.4.1	General	February 2004	10-75
10.39.4.2	Compression Flanges Unstiffened	February 2004	10-75
10.39.4.3	Compression Flanges Stiffened Longitudinally	February 2004	10-76
10.39.4.4	Compression Flanges Stiffened Longitudinally and Transversely	February 2004	10-79
10.39.4.5	Compression Flange Stiffeners, General	February 2004	10-80
10.39.5	Flange to Web Welds	February 2004	10-80
10.39.6	Diaphragms	February 2004	10-80
10.39.7	Lateral Bracing	February 2004	10-80
10.39.8	Access and Drainage	February 2004	10-80
10.40	HYBRID GIRDERS	February 2004	10-80
10.40.1	General	February 2004	10-80
10.40.2	Allowable Stresses	February 2004	10-80
10.40.2.1	Bending	February 2004	10-80
10.40.2.2	Shear	February 2004	10-81
10.40.2.3	Fatigue	February 2004	10-81
10.40.3	Plate Thickness Requirements	February 2004	10-81
10.40.4	Bearing Stiffener Requirements	February 2004	10-81
10.41	ORTHOTROPIC-DECK SUPERSTRUCTURES	February 2004	10-82
10.41.1	General	February 2004	10-82
10.41.2	Wheel Load Contact Area	February 2004	10-82
10.41.3	Effective Width of Deck Plate	February 2004	10-82
10.41.3.1	Ribs and Beams	February 2004	10-82
10.41.3.2	Girders	February 2004	10-82
10.41.4	Allowable Stresses	February 2004	10-82
10.41.4.1	Local Bending Stresses in Deck Plate	February 2004	10-82
10.41.4.2	Bending Stresses in Longitudinal Ribs	February 2004	10-83
10.41.4.3	Bending Stresses in Transverse Beams	February 2004	10-83
10.41.4.4	Intersections of Ribs, Beams, and Girders	February 2004	10-83
10.41.4.5	Thickness of Plate Elements	February 2004	10-83
10.41.4.6	Maximum Slenderness of Longitudinal Ribs	February 2004	10-83
10.41.4.7	Diaphragms	February 2004	10-83
10.41.4.8	Stiffness Requirements	February 2004	10-83
10.41.4.9	Wearing Surface	February 2004	10-84
10.41.4.10	Closed Ribs	February 2004	10-84

Part D - Strength Design Method - Load Factor Design

10.42	SCOPE	February 2004	10-85
10.43	LOADS	February 2004	10-85
10.44	DESIGN THEORY	February 2004	10-85
10.45	ASSUMPTIONS	February 2004	10-85
10.46	DESIGN STRESS FOR STRUCTURAL STEEL	February 2004	10-85
10.47	MAXIMUM DESIGN LOADS	February 2004	10-85
10.48	FLEXURAL MEMBERS	February 2004	10-85
10.48.1	Compact Sections	February 2004	10-86
10.48.2	Braced Members with Non-Compact Sections	February 2004	10-87
10.48.3	Transitions	February 2004	10-88
10.48.4	Partially Braced Sections Members	February 2004	10-88
10.48.5	Transversely Stiffened Girders	February 2004	10-90
10.48.6	Longitudinally Stiffened Girders	February 2004	10-91
10.48.7	Bearing Stiffeners	February 2004	10-92
10.48.8	Shear	February 2004	10-92
10.49	FLEXURAL MEMBERS WITH SINGLY SYMMETRIC SECTIONS	February 2004	10-93
10.49.1	General	February 2004	10-93
10.49.2	Transversely Stiffened Sections	February 2004	10-93
10.49.3	Longitudinally Stiffened Sections	February 2004	10-94
10.49.4	Braced Non-Compact Sections	February 2004	10-94
10.49.5	Partially Braced Sections	February 2004	10-94
10.50	COMPOSITE SECTIONS	February 2004	10-94
10.50.1	Positive Moment Sections	February 2004	10-95
10.50.1.1	Compact Sections	February 2004	10-95
10.50.1.2	Non-Compact Sections	February 2004	10-97
10.50.2	Negative Moment Sections	February 2004	10-97
10.50.2.1	Compact Sections	February 2004	10-97
10.50.2.2	Non-Compact Sections	February 2004	10-98
10.51	COMPOSITE BOX GIRDERS	February 2004	10-98
10.51.1	Design Bending Strength	February 2004	10-98
10.51.2	Live Load Moment Distribution	February 2004	10-98
10.51.3	Web Plates	February 2004	10-98
10.51.4	Tension Flanges	February 2004	10-99
10.51.5	Compression Flanges	February 2004	10-99
10.51.6	Diaphragms	February 2004	10-100
10.51.7	Flange to Web Welds	February 2004	10-100
10.52	SHEAR CONNECTORS	February 2004	10-100
10.52.1	General	February 2004	10-100
10.52.2	Number of Connectors	February 2004	10-100
10.52.3	Maximum Spacing	February 2004	10-100
10.53	HYBRID GIRDERS	February 2004	10-100
10.53.1	Non-Composite Sections	February 2004	10-101



10.53.1.1	Compact Sections	February 2004	10-101
10.53.1.2	Braced Non-Compact Sections	February 2004	10-101
10.53.1.3	Partially Braced Sections	February 2004	10-101
10.53.1.4	Transversely Stiffened Girders	February 2004	10-102
10.53.2	Composite Sections	February 2004	10-102
10.54	COMPRESSION MEMBERS	February 2004	10-102
10.54.1	Axial Loading	February 2004	10-102
10.54.1.1	Design Axial Strength	February 2004	10-102
10.54.1.2	Effective Length	February 2004	10-103
10.54.2	Combined Axial Load and Bending	February 2004	10-103
10.54.2.1	<i>Deleted</i>	February 2004	10-103
10.54.2.2	<i>Deleted</i>	February 2004	10-103
10.55	SOLID RIB ARCHES	February 2004	10-103
10.55.1	Moment Amplification and Allowable Stresses	February 2004	10-103
10.55.2	Web Plates	February 2004	10-103
10.55.3	Flange Plates	February 2004	10-105
10.56	SPLICES, CONNECTIONS, AND DETAILS	February 2004	10-105
10.56.1	Connectors	February 2004	10-105
10.56.1.1	General	February 2004	10-105
10.56.1.2	Welds	February 2004	10-105
10.56.1.3	Fasteners	February 2004	10-105
10.56.1.4	Slip-Critical Joints	February 2004	10-107
10.56.2	Bolts Subjected to Prying Action by Connected Parts	February 2004	10-107
10.56.3	Rigid Connections	February 2004	10-107
10.57	OVERLOAD	February 2004	10-107
10.57.1	Non-Composite Sections	February 2004	10-108
10.57.2	Composited Sections	February 2004	10-108
10.57.3	Slip-Critical Joints	February 2004	10-108
10.58	FATIGUE	February 2004	10-109
10.58.1	General	February 2004	10-109
10.58.2	Composite Construction	February 2004	10-109
10.58.2.1	Slab Reinforcement	February 2004	10-109
10.58.2.2	Shear Connectors	February 2004	10-109
10.58.3	Hybrid Beams and Girders	February 2004	10-109
10.59	DEFLECTION	February 2004	10-109
10.60	ORTHOTROPIC SUPERSTRUCTURES	February 2004	10-109
10.61	CONSTRUCTIBILITY	February 2004	10-109
10.61.1	Web	February 2004	10-109
10.61.2	<i>Deleted</i>	February 2004	10-110
10.61.3	Cross Section	February 2004	10-110
10.61.4	Compression Flange	February 2004	10-110

Section 11 - Aluminum Design

11.1	GENERAL	April 2000	11-1
11.2	BRIDGES	April 2000	11-1

11.3	SOIL-METAL PLATE INTERACTION SYSTEMS	April 2000	11-1
11.4	STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES, AND TRAFFIC SIGNALS	April 2000	11-1
11.5	BRIDGE RAILING	April 2000	11-1

Section 12 - Soil-Corrugated Metal Structure Interaction Systems

12.1	GENERAL	April 2000	12-1
12.1.1	Scope	April 2000	12-1
12.1.2	Notations	April 2000	12-1
12.1.3	Loads	April 2000	12-1
12.1.4	Design	April 2000	12-1
12.1.5	Materials	April 2000	12-1
12.1.6	Soil Design	April 2000	12-1
12.1.6.1	Soil Parameters	April 2000	12-1
12.1.6.2	Pipe Arch Design	April 2000	12-2
12.1.6.3	Arch Design	April 2000	12-2
12.1.7	Abrasive or Corrosive Conditions	April 2000	12-2
12.1.8	Minimum Spacing	April 2000	12-2
12.1.9	End Treatment	April 2000	12-2
12.1.10	<i>Deleted</i>	April 2000	12-2
12.2	SERVICE LOAD DESIGN	April 2000	12-2
12.3	LOAD FACTOR DESIGN	April 2000	12-2
12.3.1	Wall Area	April 2000	12-3
12.3.2	Buckling	April 2000	12-3
12.3.3	Seam Strength	April 2000	12-3
12.3.4	Handling and Installation Strength	April 2000	12-3
12.4	CORRUGATED METAL PIPE	April 2000	12-3
12.4.1	General	April 2000	12-3
12.4.1.2	Service Load Design- Safety Factor, SF:	April 2000	12-3
12.4.1.3	Load Factor Design - Capacity Modification Factor, f ..	April 2000	12-4
12.4.1.4	Flexibility Factor	April 2000	12-4
12.4.1.5	Minimum Cover	April 2000	12-4
12.4.2	Seam Strength	April 2000	12-4
12.4.3	Section Properties	April 2000	12-5
12.4.3.1	Steel Conduits	April 2000	12-5
12.4.3.2	Aluminum Conduits	April 2000	12-5
12.4.4	Chemical and Mechanical Requirements	April 2000	12-6
12.4.5	Smooth Lined Pipe	April 2000	12-6
12.5	SPIRAL RIB METAL PIPE	April 2000	12-6
12.5.1	General	April 2000	12-6
12.5.2	Design	April 2000	12-6
12.5.2.1	Load Factor Design	April 2000	12-6
12.5.2.2	Flexibility Factor	April 2000	12-6
12.5.2.3	Minimum Cover	April 2000	12-6
12.5.3	Section Properties	April 2000	12-6
12.5.3.1	Steel Conduits	April 2000	12-6

12.5.3.2	Aluminum Conduits	April 2000	12-7
12.5.4	Chemical and Mechanical Requirements	April 2000	12-7
12.5.4.1	Steel Spiral Rib Pipe and Pipe - Arch Requirements - AASHTO M 218	April 2000	12-7
12.5.4.2	Aluminum Spiral Rib Pipe and Pipe - Arch Requirements - AASHTO M 197	April 2000	12-7
12.5.5	Construction Requirements	April 2000	12-7
12.6	STRUCTURAL PLATE PIPE STRUCTURES	April 2000	12-7
12.6.1	General	April 2000	12-7
12.6.1.2	Service Load Design - Safety Factor, SF	April 2000	12-7
12.6.1.3	Load Factor Design Capacity Modification Factor	April 2000	12-7
12.6.1.4	Flexibility Factor	April 2000	12-8
12.6.1.5	Minimum Cover	April 2000	12-8
12.6.2	Seam Strength	April 2000	12-8
12.6.3	Section Properties	April 2000	12-9
12.6.3.1	Steel Conduits	April 2000	12-9
12.6.3.2	Aluminum Conduits	April 2000	12-9
12.6.4	Chemical and Mechanical Properties	April 2000	12-9
12.6.4.1	Steel Structural Plate Pipe, Pipe-Arch, and Arch Material Requirements - AASHTO M167	April 2000	12-9
12.6.4.2	Aluminum Structural Plate Pipe, Pipe-Arch, and Arch Material Requirements - AASHTO M 219, Alloy 5052	April 2000	12-9
12.6.5	Structural Plate Arches	April 2000	12-9
12.7	LONG SPAN STRUCTURAL PLATE STRUCTURES	April 2000	12-9
12.7.1	General	April 2000	12-9
12.7.2	Structure Design	April 2000	12-10
12.7.2.1	General	April 2000	12-10
12.7.2.2	Acceptable Special Features	April 2000	12-10
12.7.3	Foundation Design	April 2000	12-10
12.7.3.1	Settlement Limits	April 2000	12-10
12.7.3.2	Footing Reactions (Arch Structures)	April 2000	12-11
12.7.3.3	Footing Design	April 2000	12-13
12.7.4	Soil Envelope Design	April 2000	12-13
12.7.5	End Treatment	April 2000	12-14
12.7.6	Multiple Structures	April 2000	12-14
12.8	STRUCTURAL PLATE BOX CULVERT	April 2000	12-14

Section 13 - Wood Structures

13.1	GENERAL AND NOTATIONS	April 2000	13-1
13.1.1	General	April 2000	13-1
13.1.2	Net Section	April 2000	13-1
13.1.3	Impact	April 2000	13-1
13.1.4	Notations	April 2000	13-1
13.2	MATERIALS	April 2000	13-2
13.2.1	Sawn Lumber	April 2000	13-2
13.2.1.1	General	April 2000	13-2

13.2.1.2	Dimensions	April 2000	13-2
13.2.2	Glued Laminated Timber	April 2000	13-3
13.2.2.1	General	April 2000	13-3
13.2.2.2	Dimensions	April 2000	13-3
13.2.3	Structural Composite Lumber	April 2000	13-3
13.2.3.1	General	April 2000	13-3
13.2.3.2	Laminated Veneer Lumber	April 2000	13-3
13.2.3.3	Parallel Strand Lumber	April 2000	13-3
13.2.3.4	Dimensions	April 2000	13-3
13.2.4	Piles	April 2000	13-3
13.3	PRESERVATIVE TREATMENT	April 2000	13-3
13.3.1	Requirement for Treatment	April 2000	13-3
13.3.2	Treatment Chemicals	April 2000	13-3
13.3.3	Field Testing	April 2000	13-3
13.3.4	Fire Retardant Treatments	April 2000	13-4
13.4	DEFLECTION	April 2000	13-4
13.5	DESIGN VALUES	April 2000	13-4
13.5.1	General	April 2000	13-4
13.5.2	Tabulated Values for Sawn Lumber	April 2000	13-4
13.5.2.2	Stress Grades in Flexure	April 2000	13-4
13.5.3	Tabulated Values for Glued Laminated Timber	April 2000	13-4
13.5.4	Tabulated Values for Structural Composite Lumber	April 2000	13-13
13.5.5	Adjustments to Tabulated Design Values	April 2000	13-13
13.5.5.1	Wet Service Factor, C_M	April 2000	13-13
13.5.5.2	Load Duration Factor, C_D	April 2000	13-13
13.5.5.3	Adjustment for Preservative Treatment	April 2000	13-21
13.6	BENDING MEMBERS	April 2000	13-21
13.6.1	General	April 2000	13-21
13.6.2	Notching	April 2000	13-21
13.6.3	Modulus of Elasticity	April 2000	13-22
13.6.4	Bending	April 2000	13-22
13.6.4.1	Allowable Stress	April 2000	13-22
13.6.4.2	Size Factor, C_F	April 2000	13-22
13.6.4.3	Volume Factor, C_V	April 2000	13-22
13.6.4.4	Beam Stability Factor, C_L	April 2000	13-23
13.6.4.5	Form Factor, C_f	April 2000	13-23
13.6.5	Shear Parallel to Grain	April 2000	13-24
13.6.5.1	General	April 2000	13-24
13.6.5.2	Actual Stress	April 2000	13-24
13.6.5.3	Allowable Stress	April 2000	13-24
13.6.6	Compression Perpendicular to Grain	April 2000	13-24
13.6.6.1	General	April 2000	13-24
13.6.6.2	Allowable Stress	April 2000	13-24
13.6.6.3	Bearing Area Factor, C_b	April 2000	13-25
13.6.7	Bearing on Inclined Surfaces	April 2000	13-25
13.7	COMPRESSION MEMBERS	April 2000	13-25
13.7.1	General	April 2000	13-25
13.7.2	Eccentric Loading or Combined Stresses	April 2000	13-25

13.7.3	Compression	April 2000	13-26
13.7.3.1	Net Section	April 2000	13-26
13.7.3.2	Allowable Stress	April 2000	13-26
13.7.3.3	Column Stability Factor, C_p	April 2000	13-26
13.7.3.4	Tapered Columns	April 2000	13-27
13.7.3.5	Round Columns	April 2000	13-27
13.7.4	Bearing Parallel to Grain	April 2000	13-27
13.8	TENSION MEMBERS	April 2000	13-28
13.8.1	Tension Parallel to Grain	April 2000	13-28

Section 14 - Bearings

14.1	SCOPE	April 2000	14-1
14.2	DEFINITIONS	April 2000	14-1
14.3	NOTATIONS	April 2000	14-2
14.4	MOVEMENTS AND LOADS	April 2000	14-3
14.4.1	Design Requirements	April 2000	14-3
14.5	GENERAL REQUIREMENTS FOR BEARINGS	April 2000	14-3
14.5.1	Load and Movement Capabilities	April 2000	14-3
14.5.2	Characteristics.....	April 2000	14-3
14.5.3	Forces in the Structure Caused by Restraint of Movement at the Bearing	April 2000	14-6
14.5.3.1	Horizontal Force	April 2000	14-6
14.5.3.2	Bending Moment	April 2000	14-6
14.6	SPECIAL DESIGN PROVISIONS FOR BEARINGS	April 2000	14-6
14.6.1	<i>Deleted</i>	April 2000	14-6
14.6.2	PTFE Sliding Surfaces	April 2000	14-7
14.6.2.1	PTFE Surface	April 2000	14-7
14.6.2.2	Mating Surface	April 2000	14-7
14.6.2.3	Minimum Thickness Requirements	April 2000	14-7
14.6.2.4	Contact Pressure	April 2000	14-7
14.6.2.5	Coefficient of Friction	April 2000	14-7
14.6.2.6	Attachment	April 2000	14-8
14.6.3	Bearings with Curved Sliding Surfaces	April 2000	14-9
14.6.3.1	Geometric Requirements	April 2000	14-9
14.6.3.2	Resistance to Lateral Load	April 2000	14-9
14.6.4	<i>Deleted</i>	April 2000	14-10
14.6.5	Steel Reinforced Elastomeric Bearings - Method B	April 2000	14-10
14.6.5.1	General	April 2000	14-10
14.6.5.2	Material Properties	April 2000	14-10
14.6.5.3	Design Requirements	April 2000	14-10
14.6.6	Elastomeric Pads and Steel Reinforced Elastomeric Bearings - Method A	April 2000	14-13
14.6.6.1	General	April 2000	14-13
14.6.6.2	Material Properties	April 2000	14-13
14.6.6.3	Design Requirements	April 2000	14-13
14.6.6.4	Resistance to Deformation	April 2000	14-14
14.6.7	<i>Deleted</i>	April 2000	14-14

14.6.8	<i>Deleted</i>	April 2000	14-14
14.6.9	Guides and Restraints	April 2000	14-15
14.6.9.1	General	April 2000	14-15
14.6.9.2	Design Loads	April 2000	14-15
14.6.9.3	Materials	April 2000	14-15
14.6.9.4	Geometric Requirements	April 2000	14-15
14.6.9.5	Design Basis	April 2000	14-15
14.6.9.6	Attachment of Low-Friction Material	April 2000	14-15
14.6.10	Other Bearing System	April 2000	14-15
14.7	LOAD PLATES AND ANCHORAGE FOR BEARINGS	April 2000	14-16
14.7.1	Plates for Load Distribution	April 2000	14-16
14.7.2	Tapered Plates	April 2000	14-16
14.7.3	Anchorage	April 2000	14-16
14.8	CORROSION PROTECTION	April 2000	14-16

Section 15 - TFE Bearing Surface

Section 15 has been replaced by Section 14, "Bearings".

Section 16 - Steel Tunnel Liner Plates

16.1	GENERAL AND NOTATIONS	April 2000	16-1
16.1.1	General	April 2000	16-1
16.1.2	Notations	April 2000	16-1
16.2	LOADS	April 2000	16-1
16.3	DESIGN	April 2000	16-2
16.3.1	Criteria	April 2000	16-2
16.3.2	Joint Strength	April 2000	16-2
16.3.3	Minimum Stiffness for Installation	April 2000	16-3
16.3.4	Critical Buckling of Liner Plate Wall	April 2000	16-3
16.3.5	Deflection or Flattening	April 2000	16-4
16.4	CHEMICAL AND MECHANICAL REQUIREMENTS	April 2000	16-4
16.4.1	Chemical Composition	April 2000	16-4
16.4.2	Minimum Mechanical Properties of Flat Plate before Cold Forming	April 2000	16-4
16.4.3	Dimensions and Tolerances	April 2000	16-4
16.5	SECTION PROPERTIES	April 2000	16-4
16.6	COATINGS	April 2000	16-4
16.7	BOLTS	April 2000	16-4
16.8	SAFETY FACTORS	April 2000	16-5

Section 17 - Soil Reinforced Concrete Structure Interaction Systems

17.1	GENERAL	April 2000	17-1
17.1.1	Scope	April 2000	17-1

17.1.2	Notations	April 2000	17-1
17.1.3	Loads	April 2000	17-3
17.1.4	Design	April 2000	17-3
17.1.5	<i>Deleted</i>	April 2000	17-3
17.1.6	Soil	April 2000	17-3
17.1.7	Abrasive or Corrosive Conditions	April 2000	17-3
17.1.8	End Structures	April 2000	17-3
17.1.9	<i>Deleted</i>	April 2000	17-3
17.2	SERVICE LOAD DESIGN	April 2000	17-3
17.3	LOAD FACTOR DESIGN	April 2000	17-3
17.4	REINFORCED CONCRETE PIPE	April 2000	17-3
17.4.1	Application	April 2000	17-3
17.4.2	Materials	April 2000	17-3
17.4.2.1	Concrete.....	April 2000	17-3
17.4.2.2	Reinforcement	April 2000	17-3
17.4.2.3	Concrete Cover for Reinforcement	April 2000	17-3
17.4.3	Installations	April 2000	17-4
17.4.3.1	Standard Installations	April 2000	17-4
17.4.3.2	<i>Deleted</i>	April 2000	17-4
17.4.4	Design	April 2000	17-4
17.4.4.1	General Requirements	April 2000	17-4
17.4.4.2	Loads	April 2000	17-5
17.4.4.3	Minimum Fill	April 2000	17-5
17.4.4.4	Design Methods	April 2000	17-5
17.4.5	Indirect Design Method Based on Pipe Strength and Load-Carrying Capacity	April 2000	17-10
17.4.5.1	Loads	April 2000	17-10
17.4.5.2	Bedding Factor	April 2000	17-11
17.4.6	Direct Design Method for Precast Reinforced Concrete Circular Pipe	April 2000	17-12
17.4.6.1	Application	April 2000	17-12
17.4.6.2	General	April 2000	17-12
17.4.6.3	Strength-Reduction Factors	April 2000	17-13
17.4.6.4	Process and Material Factors	April 2000	17-13
17.4.6.5	Orientation Angle	April 2000	17-13
17.4.7	Development of Quadrant Mat Reinforcement	April 2000	17-19
17.5	REINFORCED CONCRETE ARCH, CAST-IN-PLACE	April 2000	17-19
17.5.1	Application	April 2000	17-19
17.5.2	Materials	April 2000	17-19
17.5.2.1	Concrete.....	April 2000	17-19
17.5.2.2	Reinforcement	April 2000	17-19
17.5.3	Design	April 2000	17-20
17.5.3.1	General Requirements	April 2000	17-20
17.5.3.2	Minimum Cover	April 2000	17-20
17.5.3.3	Strength-Reduction Factors	April 2000	17-20
17.5.3.4	Splices of Reinforcement	April 2000	17-20
17.5.3.5	Footing Design	April 2000	17-20
17.6	REINFORCED CONCRETE BOX, CAST-IN-PLACE	April 2000	17-20

17.6.1	Application	April 2000	17-20
17.6.2	Materials	April 2000	17-20
17.6.2.1	Concrete	April 2000	17-20
17.6.2.2	Reinforcement	April 2000	17-20
17.6.3	Concrete Cover for Reinforcement	April 2000	17-20
17.6.4	Design	April 2000	17-20
17.6.4.1	General Requirements	April 2000	17-20
17.6.4.2	<i>Deleted</i>	April 2000	17-20
17.6.4.3	Distribution of Concentrated Load Effects to Bottom Slab	April 2000	17-20
17.6.4.4	Distribution of Concentrated Loads in Skewed Culverts	April 2000	17-20
17.6.4.5	Span Length	April 2000	17-21
17.6.4.6	Strength Reduction Factors	April 2000	17-21
17.6.4.7	Crack Control	April 2000	17-21
17.6.4.8	Minimum Reinforcement	April 2000	17-21
17.7	REINFORCED CONCRETE BOX, PRECAST	April 2000	17-21
17.7.1	Application	April 2000	17-21
17.7.2	Materials	April 2000	17-21
17.7.2.1	Concrete	April 2000	17-21
17.7.2.2	Reinforcement	April 2000	17-21
17.7.3	Concrete Cover for Reinforcement	April 2000	17-21
17.7.4	Design	April 2000	17-22
17.7.4.1	General Requirements	April 2000	17-22
17.7.4.2	<i>Deleted</i>	April 2000	17-22
17.7.4.3	Distribution of Concentrated Load Effects in Sides and Bottoms	April 2000	17-22
17.7.4.4	Distribution of Concentrated Loads in Skewed Culverts	April 2000	17-22
17.7.4.5	Span Length	April 2000	17-22
17.7.4.6	Strength Reduction Factors	April 2000	17-22
17.7.4.7	Crack Control	April 2000	17-22
17.7.4.8	Minimum Reinforcement	April 2000	17-22
17.7.4.9	Shear Transfer in Transverse Joints Between Culvert Sections	April 2000	17-22
17.8	PRECAST REINFORCED CONCRETE THREE-SIDED STRUCTURES	April 2000	17-23
17.8.1	Application	April 2000	17-23
17.8.2	Materials	April 2000	17-23
17.8.2.1	Concrete	April 2000	17-23
17.8.2.2	Reinforcement	April 2000	17-23
17.8.3	Concrete Cover for Reinforcement	April 2000	17-23
17.8.4	Geometric Properties	April 2000	17-23
17.8.5	Design	April 2000	17-23
17.8.5.1	General Requirements	April 2000	17-23
17.8.5.2	Distribution of Concentrated Load Effects in Side	April 2000	17-23
17.8.5.3	Distribution of Concentrated Loads in Skewed Culverts	April 2000	17-23
17.8.5.4	Shear Transfer in Transverse Joints Between Culvert Section	April 2000	17-23

17.8.5.5	Span Length	April 2000	17-24
17.8.5.6	Strength Reduction Factor	April 2000	17-24
17.8.5.7	Crack Control	April 2000	17-24
17.8.5.8	Minimum Reinforcement	April 2000	17-24
17.8.5.9	Deflection Control	April 2000	17-24
17.8.5.10	Footing Design	April 2000	17-24
17.8.5.11	Structure Backfill	April 2000	17-24
17.8.5.12	Scour Protection	April 2000	17-24

Section 18 - Soil-Thermoplastic Pipe Interaction Systems

18.1	GENERAL	April 2000	18-1
18.1.1	Scope	April 2000	18-1
18.1.2	Notations	April 2000	18-1
18.1.3	Loads	April 2000	18-1
18.1.4	Design	April 2000	18-1
18.1.5	Materials	April 2000	18-1
18.1.6	Soil Design	April 2000	18-1
18.1.6.1	Soil Parameters	April 2000	18-1
18.1.7	Abrasive or Corrosive Conditions	April 2000	18-2
18.1.8	Minimum Spacing	April 2000	18-2
18.1.9	End Treatment	April 2000	18-2
18.1.10	Deleted	April 2000	18-2
18.2	SERVICE LOAD DESIGN	April 2000	18-2
18.3	LOAD FACTOR DESIGN	April 2000	18-2
18.3.1	Wall Area	April 2000	18-2
18.3.2	Buckling	April 2000	18-2
18.3.3	Handling and Installation Strength	April 2000	18-3
18.4	PLASTIC PIPE	April 2000	18-3
18.4.1	General	April 2000	18-3
18.4.1.2	Deleted	April 2000	18-3
18.4.1.3	Load Factor Design - Capacity Modification Factor, f: ..	April 2000	18-3
18.4.1.4	Flexibility Factor	April 2000	18-3
18.4.1.5	Minimum Cover	April 2000	18-3
18.4.1.6	Maximum Strain	April 2000	18-3
18.4.1.7	Local Buckling	April 2000	18-3
18.4.2	Section Properties	April 2000	18-3
18.4.2.1	PE Corrugated Pipes (AASHTO M 294)	April 2000	18-4
18.4.2.2	PE Ribbed Pipes (ASTM F 894)	April 2000	18-4
18.4.2.3	Profile Wall (Ribbed) PVC Pipes (AASHTO M 304)	April 2000	18-4
18.4.3	Chemical and Mechanical Requirements	April 2000	18-4
18.4.3.1	Polyethylene	April 2000	18-4
18.4.3.2	Poly (Vinyl Chloride) (PVC)	April 2000	18-5

Appendix A

Deleted February 2004 (Live Load Tables)



Appendix B

Truck Train Loadings April 2000 B-1

Appendix C

Columns April 2000 C-1

Appendix D

Computation of Plastic Section Modulus Z* April 2000 D-1